



Blast-A-Coil

BAC20 (P/N 475248)

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 1 of 11

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Blast-A-Coil**

Product Code(s) : BAC20 (P/N 475248)

Recommended use of the chemical and restrictions on use

: Lubricant
Restriction on use: None known

Chemical family : Mixture.

Name, address, and telephone number of the supplier:

Parker Hannifin Corporation - Sporlan Division

206 Lange Drive
Washington, MO, U.S.A.
63090

Supplier's Telephone # : (636)-239-1111

24 Hr. Emergency Tel # : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside U.S.).

Name, address, and telephone number of the manufacturer:

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear liquid, contained in a pressurized aerosol can. Solvent odor.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification :

Gas Under Pressure -Liquefied gas
Skin Irritation - Category 2
Eye Damage/Irritation - Category 2A
Carcinogenicity - Category 1
Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

Contains gas under pressure; may explode if heated.
Causes skin irritation.
Causes serious eye irritation.
May cause cancer.
May cause drowsiness or dizziness.



Blast-A-Coil

BAC20 (P/N 475248)

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 2 of 11

SAFETY DATA SHEET

Precautionary statement(s)

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing mist, vapors or spray.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/clothing and eye/face protection.

IF exposed or concerned: Get medical attention/advice.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs, get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: get medical advice/attention.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.

Store locked up.
Protect from sunlight and store in well-ventilated place.

Other hazards

Other hazards which do not result in classification: Contact with liquid or refrigerated gas can cause cold burns and frostbite. May cause respiratory tract irritation. Ingestion can cause gastrointestinal irritation, nausea, and diarrhea.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Trichloroethylene	Acetylene trichloride	79-01-6	80.0 - 100.0
Carbon dioxide	Liquefied carbon dioxide Carbonic acid gas	124-38-9	1.0 - 5.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : Call a physician or poison control centre immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.
- Inhalation* : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. Keep warm and in a quiet place. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.
- Skin contact* : Remove contaminated clothing. Wash contaminated area with soap and lukewarm (not hot), gently running water. Seek immediate medical attention/advice. Wash contaminated clothing before re-use.
- Eye contact* : Immediately flush eyes with running water for at least 15 minutes. Seek immediate medical attention/advice.

Most important symptoms and effects, both acute and delayed

- : Causes skin irritation. Symptoms may include redness, itching and swelling. Causes eye irritation. Symptoms may include stinging and tearing. May cause headache, nausea, dizziness and other symptoms of central nervous system depression. Contact with liquid or refrigerated gas can cause cold burns and frostbite. May cause respiratory irritation. Symptoms may include coughing, choking and wheezing. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.



Blast-A-Coil

BAC20 (P/N 475248)

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 3 of 11

SAFETY DATA SHEET

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Dry chemical, foam, carbon dioxide and water fog.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Contents under pressure. Containers may explode if heated. Do not pierce or burn, even after use.

Flammability classification (OSHA 29 CFR 1910.106)

: Non-flammable aerosol.

Hazardous combustion products

: Carbon oxides; Hydrochloric acid; Chlorine.; Phosgene; Hydrocarbons; Other unidentified organic compounds.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Avoid spreading burning liquid with water spray used for cooling purposes. Shield personnel to protect from venting or rupturing containers.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Restrict access to area until completion of clean-up. Keep all other personnel upwind and away from the spill/release. Individuals involved in the cleanup must wear appropriate personal protective equipment. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

Methods and material for containment and cleaning up

: Remove all sources of ignition. Ventilate area of release. Stop leak if you can do so without risk. Dike for water control. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities.

Special spill response procedures

: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
US CERCLA Reportable quantity (RQ): Trichloroethylene (100 lbs / 45.4 kg)

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with eyes, skin and clothing. Keep away from extreme heat and flame. Avoid contact with strong oxidizing agents. Always replace cap after use. Wash thoroughly after handling. Do not puncture or incinerate containers. Keep out of reach of children. Keep away from direct sunlight.



Blast-A-Coil

BAC20 (P/N 475248)

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 4 of 11

SAFETY DATA SHEET

- Conditions for safe storage** : Store in a cool, dry, well ventilated area, away from heat and ignition sources. Store locked up. Keep away from direct sunlight. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. No smoking in the area. Inspect periodically for damage or leaks.
- Incompatible materials** : Alkali metals; oxidizing agents; Bases; Reducing agents.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
	Trichloroethylene	10 ppm	25 ppm	100 ppm
Carbon dioxide	5000 ppm	30,000 ppm	5000 ppm	N/Av

Exposure controls

Ventilation and engineering measures

- : Do not use in closed or confined space. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection

- : Use NIOSH/MSHA approved full-face respirator with an organic vapour cartridge if the recommended exposure limit is exceeded. Advice should be sought from respiratory protection specialists.

Skin protection

- : Solvent-resistant gloves. Advice should be sought from glove suppliers.

Eye / face protection

- : Chemical splash goggles are recommended. Do not wear contact lenses.

Other protective equipment

- : An eyewash station and safety shower should be made available in the immediate working area. Depending on conditions of use, an impervious apron should be worn. Remove and wash contaminated clothing before re-use.

General hygiene considerations

- : Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Clear liquid in pressurized container.
- Odour** : Solvent odor.
- Odour threshold** : N/Av
- pH** : N/Av
- Melting/Freezing point** : N/Av
- Initial boiling point and boiling range**
: N/Av
- Flash point** : N/Av
- Flashpoint (Method)** : N/Av
- Evaporation rate (BuAe = 1)** : > 1
- Flammability (solid, gas)** : The product is not flammable.
- Lower flammable limit (% by vol.)**
: N/Av
- Upper flammable limit (% by vol.)**
: N/Av



Blast-A-Coil

BAC20 (P/N 475248)

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 5 of 11

SAFETY DATA SHEET

Oxidizing properties : None known.
Explosive properties : May be sensitive to static discharge.
Vapour pressure : N/Av
Vapour density : N/Av
Relative density / Specific gravity
: 1.45 (concentrate)
Solubility in water : Insoluble.
Other solubility(ies) : N/Av
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution
: N/Av
Auto-ignition temperature : N/Av
Decomposition temperature : Not available.
Viscosity : N/Av
Volatiles (% by weight) : Not available.
Volatile organic Compounds (VOC's)
: N/Av
Absolute pressure of container
: N/Av
Flame projection length : N/Av
Other physical/chemical comments
: No additional information.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.
Chemical stability : Material is stable under normal conditions.
Possibility of hazardous reactions
: Hazardous polymerization does not occur.
Conditions to avoid : Keep out of direct sunlight. Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Do not use in areas without adequate ventilation.
Incompatible materials : See Section 7 (Handling and Storage) for further details.
Hazardous decomposition products
: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption
: YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation



Blast-A-Coil

BAC20 (P/N 475248)

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 6 of 11

SAFETY DATA SHEET

: Inhalation of vapours or mists may cause irritation to the nose, throat and upper respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. In extremely high concentrations, product may act as an asphyxiant and cause increased breathing and pulse rates, fatigue and unconsciousness.

Sign and symptoms ingestion

: Swallowing large amounts may be harmful. May cause irritation of mouth, throat, and stomach. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

Sign and symptoms skin

: Causes skin irritation. May be absorbed through the skin. If product is sprayed directly on skin, symptoms of frostbite may be experienced including numbness, prickling and itching.

Sign and symptoms eyes

: Causes serious eye irritation. If product is sprayed directly into the eyes, could cause freezing of the eye.

Potential Chronic Health Effects

: Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin. May cause liver and kidney damage.

Mutagenicity

: Not expected to be mutagenic in humans.

Carcinogenicity

: This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification Carcinogenic Category 1 May cause cancer. Contains: Trichloroethylene Trichloroethylene is classified as probably carcinogenic by IARC (Group 2A), ACGIH (Category A2) and NTP.

Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects

: Eyes, skin, respiratory system, central nervous system, liver and kidneys.

This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects May cause drowsiness or dizziness.

Not classified as specific target organ toxicity-repeated exposure.

Medical conditions aggravated by overexposure

: Pre-existing eye, skin, respiratory, liver, kidney and central nervous system disorders.

Synergistic materials

: None known or reported by the manufacturer.

Toxicological data

: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC₅₀(4hr)</u>	<u>LD₅₀</u>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Trichloroethylene	38.96 mg/L	5602 mg/kg	>2900 mg/kg
Carbon dioxide	200,000 ppm/2H (mouse)	N/Ap (gas)	N/Ap (gas)

Other important toxicological hazards

: CNS depression may result from extreme exposures.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: Do not allow material to contaminate ground water system. See the following tables for the substance's ecotoxicity data.



Blast-A-Coil

BAC20 (P/N 475248)

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 7 of 11

SAFETY DATA SHEET

Ecotoxicity data:

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Trichloroethylene	79-01-6	40.7mg/L (Fathead minnow)	N/Av	none
Carbon dioxide	124-38-9	N/Av	N/Av	

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Trichloroethylene	79-01-6	20.8mg/L Water flea	N/Av	none
Carbon dioxide	124-38-9	N/Av	N/Av	

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Trichloroethylene	79-01-6	N/Av	N/Av	none
Carbon dioxide	124-38-9	N/Av	N/Av	

Persistence and degradability

: No data is available on the product itself. Contains: Trichloroethylene. Trichloroethylene is not considered to be readily biodegradable.

Bioaccumulation potential

: No data is available on the product itself.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Trichloroethylene (CAS 79-01-6)	2.29	17 - 90 species: fish
Carbon dioxide (CAS 124-38-9)		no bioaccumulation

Mobility in soil

: No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7. Do not puncture or incinerate containers.

Methods of Disposal

: Improper disposal can cause damage to the environment. Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.



Blast-A-Coil

BAC20 (P/N 475248)

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 8 of 11

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1950	AEROSOLS	2.2	none	
TDG Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. Under the TDGR, refer to Section 1.17 for additional exemption information, if shipping under this exemption.				
49CFR/DOT	UN1950	Aerosols	2.2	none	
49CFR/DOT Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. For limited quantity shipping information, refer to 49 CFR Section 173.306.				
ICAO/IATA	UN1950	Aerosol Non-flammable.	2.2	none	
ICAO/IATA Additional information	Refer to the appropriate Packing Instruction, prior to shipping this material. Review all State and Operator Variations, prior to shipping this material.				

Special precautions for user : Appropriate advice on safety must accompany the package.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Trichloroethylene	79-01-6	Yes	100 lb/ 45.4 kg	N/Av	Yes	0.1%
Carbon dioxide	124-38-9	Yes	N/Av	N/Av	No	N/Av

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Physical hazards (Gas Under Pressure)Health hazards: (Skin irritation ;Eye irritation ;Carcinogenicity ;Specific target organ toxicity, single exposure).

Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.



Blast-A-Coil

BAC20 (P/N 475248)

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 9 of 11

SAFETY DATA SHEET

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Trichloroethylene	79-01-6	Yes	Carcinogen	Yes	Yes	Yes	Yes	Yes	Yes
Carbon dioxide	124-38-9	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECS	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Trichloroethylene	79-01-6	201-167-4	Present	Present	(2)-105	KE-13680	Present	HSR001555
Carbon dioxide	124-38-9	204-696-9	Present	Present	(1)-310; (1)-169	KE-04683	Present	HSR001018

SECTION 16. OTHER INFORMATION

Legend

- : ACGIH: American Conference of Governmental Industrial Hygienists
- AIHA: American Industrial Hygiene Association
- CA: California
- CAS: Chemical Abstract Services
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
- CFR: Code of Federal Regulations
- CNS: Central Nervous System
- DOT: Department of Transportation
- HMIS: Hazardous Materials Identification System
- HSDB: Hazardous Substances Data Bank
- IARC: International Agency for Research on Cancer
- Inh: Inhalation
- LC: Lethal Concentration
- LD: Lethal Dose
- MA: Massachusetts
- MN: Minnesota
- MSHA: Mine Safety and Health Administration
- N/Ap: Not Applicable
- N/Av: Not Available
- NFPA: National Fire Protection Association
- NIOSH: National Institute of Occupational Safety and Health
- NJ: New Jersey
- NTP: National Toxicology Program
- OSHA: Occupational Safety and Health Administration



Blast-A-Coil

BAC20 (P/N 475248)

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 10 of 11

SAFETY DATA SHEET

PA: Pennsylvania
 PEL: Permissible exposure limit
 RCRA: Resource Conservation and Recovery Act
 RI: Rhode Island
 RTECS: Registry of Toxic Effects of Chemical Substances
 SARA: Superfund Amendments and Reauthorization Act
 STEL: Short Term Exposure Limit
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations
 TLV: Threshold Limit Values
 TWA: Time Weighted Average
 WEEL: Workplace Environmental Exposure Level
 WHMIS: Workplace Hazardous Materials Identification System

References

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016
- 2. International Agency for Research on Cancer Monographs, searched 2017
- 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2017(Chempendium, HSDB and RTECs).
- 4. Material Safety Data Sheets from manufacturer.
- 5. US EPA Title III List of Lists - 2017 version.
- 6. California Proposition 65 List - 2017 version.
- 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal,2017.

Preparation Date (mm/dd/yyyy)

: 05/14/2015

Reviewed Date SDS (dd/mm/yyyy)

: 08/02/2019

Revision No.

: 3

Revision Information

: (M)SDS sections updated :

- 1. IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. Other information

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

HMIS Rating

: * - Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe
*Health: *2 Flammability: 0 Reactivity: 1*

NFPA Rating

0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe
 : *Health: 2 Flammability:0 Instability:0 Special Hazards: None.*

<p>Prepared for: Parker Hannifin Corporation - Sporlan Division 206 Lange Drive Washington, MO 63090 U.S.A Telephone: (636) 239-1111 Direct all enquiries to: Parker Hannifin Corp. - Sporlan Division.</p>	
<p>Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	



Parker Hannifin Corporation - Sporlan Division
206 Lange Drive
Washington, MO, U.S.A., 63090
Telephone: (636) 239 1111

Blast-A-Coil

BAC20 (P/N 475248)

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 11 of 11

SAFETY DATA SHEET

DISCLAIMER

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Parker Hannifin Corp and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Parker Hannifin Corp expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Parker Hannifin Corp.

END OF DOCUMENT